




































































	Model No.		Lux	Lens	Power	Ürün Tanımı	Fiyat (USD)
3MP HD IP KAMERA							
3 Megapixel IP Box Kamera							
	EAN3300	3MP True D/N, ICR	0.08 Lux/ F1.2 (B/W) 0.6 Lux/ F1.2 (Color)	C/CS Mount *Lens Not Included Must use MP Lens	12VDC POE	3MP IP Box Cam, True D/N, ICR, 12VDC/PoE 1/2.8" HD Color CMS Image sensor. H.264/MJPEG Dual Codec True D/N, ICR Two Way Audio, SDHC slot for local storage ONVIF/ PSIA compliant	\$ 1652
3 Megapixel Full HD IR IP Indoor Dome Kamera							
	EDN3340	3MP True D/N, ICR	0 Lux/ F1.2	Vari-Focal Lens 3~9mm	12VDC POE	3MP IP Indoor IR Dome Camera, True D/N, ICR, 3~9mm VF Lens, 12VDC/PoE 1/3" Full HD CMOS sensor, H.264/MJPEG Dual Codec True D/N, ICR, 33pcs IR Lens, IR Range to 20M/65.6ft Two Way Audio, SDHC slot for local storage	\$ 1885
3 Megapixel Full HD IR Outdoor Dome Kamera							
	EHN3340	3MP True D/N, ICR	0 Lux/ F1.2	Vari-Focal Lens 3~9mm	12VDC POE	3MP IP Outdoor IR Dome Camera, True D/N, ICR, 3~9mm VF Lens, 12VDC/PoE 1/3" Full HD CMOS sensor, H.264/MJPEG Dual Codec True D/N, ICR, 33pcs IR Lens, IR Range to 30M/98.4ft Two Way Audio, SDHC slot for local storage	\$ 1968
	EHN3361	3MP True D/N, ICR	Color: 0.5Lux@F1.8 B/W: 0.095Lux@F1.8 0Lux@F1.8(IR LEDs on)	4.9~49mm	12VDC POE	EHN3361,3M,Outdoor,12VDC&PoE, 4.9-29mm VF Lens 1/3" Full HD CMOS sensor, H.264/MPEG-4/MJPEG Codec True D/N, ICR, 10pcs IR Lens, IR Range to 40M Two Way Audio, SDHC slot for local storage ONVIF/ PSIA compliant	\$ 1990
3 Megapixel Full HD IR Bullet Network Dome Kamera							
	EZN3340	3MP True D/N, ICR	0 Lux/ F1.3	Vari-Focal Lens 3~10mm	DC12V POE	3MP Outdoor Bullet IR IP Cam, 40M/66ft, True D/N, ICR, 3-10mm VF Lens, 12VDC/PoE 1/2.8" HD Color CMS Image sensor. True D/N, ICR, IP66, Vandal resistant 44pcs IR Lens, IR Range to 40M/131ft Two Way Audio, SDHC slot for local storage	\$ 1950
	EZN3361 WDR	3MP True D/N, ICR	Color: 0.5Lux@F1.8 B/W: 0.095Lux@F1.8 0Lux@F1.8(IR LEDs on)	4.9~49mm	12VDC POE	3MP IP Outdoor IR Dome Camera, WDR, True D/N, 10X Auto Focus optical zoom (4.9~49mm) Lens, 12VDC/PoE 1/3" Full HD CMOS sensor, H.264/MPEG-4/MJPEG Codec True D/N, ICR, 10pcs IR Lens, IR Range to 40M Two Way Audio, SDHC slot for local storage	\$ 1848
3 Megapixel IP Network Kamera							
	EBN368	3MP	Color : 0.05 Lux @ F1.4 B/W: 0.005 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	3.6 mm	12VDC POE	3MP Ball IR & WDR Network Camera, IP66, H.265	\$ 1145
	EDN368M	3MP	Color : 0.05 Lux @ F1.4 B/W: 0.005 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	2.8-12 mm	12VDC POE	3MP Dome WDR Network Camera, H.265, IP66,IK10	\$ 1255
	EZN368	3MP	Color : 0.05 Lux @ F1.4 B/W: 0.005 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	3.6 mm	12VDC POE	3MP Outdoor Mini Bullet IR & WDR Network Camera, H.265, IP66	\$ 1150
	EZN368M	3MP	Color : 0.05 Lux @ F1.4 B/W: 0.005 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	2.8-12mm	12VDC POE	3MP Outdoor Bullet IR & WDR Network Camera, H.265, IP66	\$ 1250
3 Megapixel Polestar IP Box Kamera							
	EAN7360 WDR	3MP 1536p True D/N, ICR WDR	Color: 0.001 Lux @F1.2 Black: 0.0005 Lux @F1.2	C/CS Mount *Lens Not Included Must use MP Lens	12VDC 24VAC POE	3MP Polestar FHD Box type IP Cam, Ultra Low lux, WDR, True D/N, ICR, 12VDC/POE/24VAC 1/2.8" SONY progressive CMOS image sensor, Triple Streams from H.265, H.264 and M-JPEG True D/N, ICR, WDR	\$ 1180
3 Megapixel Polestar IP Outdoor IR Dome Kamera							
	EHN7360 WDR	3MP 1536p True D/N, ICR WDR	Color: 0.001 Lux @F1.2 Black: 0.0005 Lux @F1.2 0 lux at F1.3(IR LEDs On)	Vari-Focal Lens 3.3~10mm	12VDC 24VAC POE	3MP, Polestar Outdoor dome, Auto Focus, 3.3-10mm, 60Fps, Ultra Low lux, PoE&Triple streams, WDR, IP68, IK10 1/2.8" SONY progressive CMOS sensor, Triple Streams from H.265, H.264 and M-JPEG True D/N with ICR, WDR, IP68, IK10	\$ 1315
3 Megapixel Polestar IR Network Bullet Kamera - ONVIF/ PSIA compliant							
	EZN7360 WDR	3MP 1536p True D/N, ICR WDR	Color: 0.001 Lux @F1.2 Black: 0.0005 Lux @F1.2 0 lux at F1.3(IR LEDs On)	Vari-Focal Lens 3.3~10mm	12VDC 24VAC POE	3MP, Polestar Outdoor bullet, Auto Focus, 3.3-10mm, 60Fps, Ultra Low lux, PoE&Triple streams, WDR, IP66, IK10 1/2.8" SONY progressive CMOS sensor, Triple Streams from H.265, H.264 and M-JPEG True D/N with ICR, WDR, IP68, IK10	\$ 1280
2 MP POLESTAR IP KAMERA							
2 Megapixel Polestar IP Box Kamera							
	EAN7221 WDR	2MP 1080p True D/N, ICR WDR	Color: 0.001 Lux @F1.2 Black: 0.0005 Lux @F1.2	C/CS Mount *Lens Not Included Must use MP Lens	12VDC 24VAC POE	2MP Polestar FHD Box type IP Cam, Ultra Low lux, WDR, True D/N, ICR, 12VDC/POE/24VAC 1/2.8" SONY progressive CMOS image sensor, Triple Streams from H.265, H.264 and M-JPEG True D/N, ICR, WDR	\$ 1060
2 Megapixel Polestar IP Outdoor IR Dome Kamera							
	EHN7221 WDR	2MP 1080p True D/N, ICR WDR	Color: 0.001 Lux @F1.2 Black: 0.0005 Lux @F1.2 0 lux at F1.3(IR LEDs On)	Vari-Focal Lens 3.3~10mm	12VDC 24VAC POE	2MP, Polestar Outdoor dome, Auto Focus, 3.3-10mm, 60Fps, Ultra Low lux, PoE&Triple streams, WDR, IP68, IK10 1/2.8" SONY progressive CMOS sensor, Triple Streams from H.265, H.264 and M-JPEG True D/N with ICR, WDR, IP68, IK10	\$ 1155
2 Megapixel Polestar IR Network Bullet Kamera - ONVIF/ PSIA compliant							

	EZN7221 WDR	2MP 1080p True D/N, ICR WDR	Color: 0.001 Lux @F1.2 Black: 0.0005 Lux @F1.2 0 lux at F1.3(IR LEDs On)	Vari-Focal Lens 3.3~10mm	12VDC 24VAC POE	2MP, Polestar Outdoor bullet, Auto Focus, 3-3-10mm, 60Fps, Ultra Low lux, PoE&Triple streams, WDR, IP66, IK10 1/2.8" SONY progressive CMOS sensor, Triple Streams from H.265, H.264 and M-JPEG True D/N with ICR, WDR, IP66, IK10	\$ 1134
2 MP IP KAMERA							
2 Megapixel IP Box Kamera							
	EAN3220 WDR	2MP 1080p True D/N, ICR WDR	0.03 Lux/ F1.4	C/CS Mount *Lens Not Included Must use MP Lens	12VDC POE	2MP HD Box type IP Cam, WDR, True D/N, ICR, 12VDC/POE 1/3" 1080p full HD CMOS sensor, H.264/MJPEG Dual Codec True D/N, ICR, WDR Two Way Audio, SDHC slot for local storage ONVIF/ PSIA compliant	\$ 685
2 Megapixel IR IP indoor IR Dome Kamera							
	EDN3260	2MP True D/N, ICR	0 Lux/ F1.2(IR on)	Vari-Focal Lens 3~9mm	12VDC POE	2MP IP Indoor IR Dome Camera, True D/N, WDR, 3~9mm VF Lens, 12VDC/PoE 1/3" Full HD CMOS sensor, H.264/MJPEG Dual Codec True D/N, ICR, 33pcs IR Lens, IR Range to 20M/65.6ft Two Way Audio, SDHC slot for local	\$ 715
2 Megapixel IP Outdoor IR Dome Kamera							
	EHN3260	2MP True D/N, ICR	0 Lux/ F1.2	Vari-Focal Lens 3~9mm	12VDC POE	2MP IP Outdoor IR Dome Camera, WDR, True D/N, 3~9mm VF Lens, 12VDC/PoE 1/3" Full HD CMOS sensor, H.264/MJPEG Dual Codec True D/N, ICR, 33pcs IR Lens, IR Range to 30M/98.4ft Two Way Audio, SDHC slot for local storage	\$ 1255
	EHN3261	2MP True D/N, ICR	Color: 0.5Lux@F1.8 B/W: 0.095Lux@F1.8 0Lux@F1.8(IR LEDs on)	4.9~49mm	12VDC POE	2MP IP Outdoor IR Dome Camera, WDR, True D/N, 10X Auto Focus optical zoom (4.9~49mm) Lens, 12VDC/PoE 1/3" Full HD CMOS sensor, H.264/MPEG-4/MJPEG Codec True D/N, ICR, 10pcs IR Lens, IR Range to 40M Two Way Audio, SDHC slot for local storage ONVIF/ PSIA compliant	\$ 1320
2 Megapixel Full HD IR Network Bullet Kamera - ONVIF/ PSIA compliant							
	EZN3260 WDR	2MP 1080p True D/N, ICR WDR	0 Lux/ F1.3 (IR on)	Vari-Focal Lens 2.8~10mm	12VDC POE	2MP IP Outdoor IR Bullet Camera, 3-10mm VF Lens, WDR, True D/N, 12VDC/PoE 1/3" HD Color CMS image sensor, H.264/MJPEG Dual Codec True D/N with ICR, WDR, IP66 44pcs IR Lens, IR Range to 40M/131ft ONVIF/ PSIA compliant	\$ 1110
	EZN3261 WDR	2MP True D/N, ICR	Color: 0.5Lux@F1.8 B/W: 0.095Lux@F1.8 0Lux@F1.8(IR LEDs on)	4.9~49mm	12VDC POE	2MP IP Outdoor IR Dome Camera, WDR, True D/N, 10X Auto Focus optical zoom (4.9~49mm) Lens, 12VDC/PoE 1/3" Full HD CMOS sensor, H.264/MPEG-4/MJPEG Codec True D/N, ICR, 10pcs IR Lens, IR Range to 40M Two Way Audio, SDHC slot for local storage ONVIF/ PSIA compliant	\$ 1485
2 Megapixel Mini IR Speed Dome Kameralar							
	EPN5210 Outdoor	2MP 1080p True D/N, ICR WDR	0.3 Lux @ F1.6	10X Optical Zoom 1/3" SONY CMOS	AC24V / POE	EPN5210 2M,10x,Mini IR Network Speed Dome Apple white, IP66 Full HD Sony CMOS sensor, Dual streams from H.264 10x optical AF zoom, True D/N, ICR, WDR, Micro SD /SDHC slot for local storage	\$ 2315
	EPN5230 Outdoor	2MP 1081p True D/N, ICR WDR	0.3 Lux @ F1.6 B/W: 0.1 Lux @ F1.6	30X Optical Zoom 1/3" SONY CMOS	AC24V / POE	EPN5230 2M,30x Optical Zoom,IR Network Speed Dome Apple white, IP66 Full HD Sony CMOS sensor, Dual streams from H.264 30x optical AF zoom, True D/N, ICR, WDR, Micro SD /SDHC slot for local storage	\$ 2565
2MP Mini Dome Network Kamera							
	EBN268V	2MP	Color : 0.2 Lux @ F1.4 B/W: 0.05 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	Vari-Focal Lens 2.8~12mm	12VDC POE	EBN268V IP Camera 2MP IR&WDR ICR 2.8-12mm 12VDC POE White	\$ 462
2MP Fixed Mini Dome Network Kamera							
	EBN268	2MP	Color : 0.2 Lux @ F1.4 B/W: 0.05 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	3.6 / 6 mm	12VDC POE	2MP Outdoor Ball IR & WDR Network Kamera	\$ 620
	EDN228	2MP	Color : 0.2 Lux @ F1.4 B/W: 0.05 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	3.6 / 6 mm	12VDC POE	2MP Outdoor Mini Dome WDR Network Kamera	\$ 580
	EZN268	2MP	Color : 0.2 Lux @ F1.4 B/W: 0.05 @ F1.4 0 Lux @ F1.4 (IR LEDs on)	3.6 / 6 mm	12VDC POE	2MP Outdoor Mini Bullet IR & WDR Network Kamera	\$ 580
	EZN268V	2MP	Color: 0.2 Lux @ F1.4; B/W: 0.05 Lux @ F1.4 0 Lux (IR LEDs on)	2.8-12mm	12VDC POE	SONY Progressive Scan CMOS sensor Wide Dynamic Range Function Extended IR range of up to 30m / 98.4ft. with 3 High Power IR LEDs (Depending on scene IR reflectivity)	\$ 660
IP Kamera Aksesuarları							
Sidekick				Output	Input		
	SideKick			PoE : 30W (Max) DC12V : 12V/1.5A USB : 5V/1A	DC19V / 3.42A	ESK1000 IP sidekick, 11800mA, EN, Usbord High Capacity Batteries Built-in WIFI Module Support Mobile App for Quick Configuration LED Indicators for Battery Status & PoE Power	\$ 594
PALUN01			Transmission Distance	Power Input	Power Output		
	PALUN01		Cat5e 100 m (x 2) / 328 ft. (x 2) Coaxial Cable 150 m / 492 ft.	IEEE 802.3 at 50~57 V / 30 W (Max) IEEE 802.3 af 44~57 V / 15.4 W (Max)	IEEE 802.3 at 50~57 V / 30 W (Max)	PALUN01 PoE Power extender	\$ 261
VIDEO SERVER							
H.264 Video Server							

	EVS410	H.264 4CH	Video Server		12VDC	4CH H.264 Real-time Video Encoder, 12VDC Dual Codec for H.264 and MJPEG in 30 FPS frame rate H.264/MJPEG dual stream output and independent video stream 3D de-noise, de-interlacer, Smart Wizard settings Support PTZ camera control via RS485, slot for an SDHC card for local	\$ 1008
IP Decoder 16CH							
	EMX32	4CH @ 2MP IP 16CH @ D1 IP 32 CH analog from	IP Decoder			16 IP Decoder 4CH 1808p/30dps video streams in H.264 codec simultaneously 16CH IP streams or 32 analog channel from DVR Separately configured HDMI and VGA (1080p) main monitor outputs	\$ 2100
NVR							
Network Video Recorder Server							
	ENVR8008	Enterprise NVR server	Bundle with XMS 64 CH	8 HDD Bay *HDD Not Included		High Performance Network Video Recorder Server Build-in Intel Core i5-4570T(Haswell) CPU High Performance Processor Up to 8GB DDR3- 1333 Intel HD Graphics Dual Gigabit LAN supports 10/100/1000Mbps Support Dual- monitor with one DVI-I, one D-SUB port, Two Display port Internal 8 x 3.5" SATA HDD (Hot swap) with RAID 0, 1, 5 Linux	\$ 11200,00
	Elite3	24CH NVR server	Bundle with XMS 24 CH	4 HDD Bay *HDD Not Included		24CH Embedded NVR with 4 HDD bay, HDD Not Included Linux Embedded, Support Megapixel recording, H.264 compression Server-client, Web-based management Support 4 SATA II HDD Bay	\$ 5200
	EPRO NVR32	Standalone 32ch NVR	32 CH	4 HDD Bay *HDD Not Included		High Performance Network Video Recorder Max. storage 24TB Support Gigabit LAN supports 10/100/1000Mbps x2 Support H.265, 4k, 5MP camera Support to connect external storage e-SATA (Option EDA450) 2U rack mount size	\$ 4395
	EPRO NVR16	Standalone 16ch NVR	16 CH	2 HDD Bay *HDD Not Included		High Performance Network Video Recorder Max. storage 12TB Support Gigabit LAN supports 10/100/1000Mbps x1 Support H.265, 4k, 5MP camera Support to connect external storage e-SATA (Option EDA450)	\$ 2820
Storage							
	V100	I-SCSI		24 HDD Bay *HDD Not Included		24 HDD Bay I-SCSI Support 3.5" and 2.5" HDD, 24 HDD bay, Max 192TB RAID 0,1,0+1,3,5,6,10,30,50,60 3U rack-mount	\$ 13200,00
	EDA450	e-SATA		4 HDD Bay *HDD Not Included		4 HDD Bay eSATA Support 3.5" HDD, 4 HDD bay, Max. 24TB 1U rack-mount	\$ 1800
POE Network Switch							
POE Switch_4 ports							
	ES0501-40_5 ports	10/100/1000Mbps x 5 / 802.3at / 70W / 48VDC					\$ 513
POE Switch_8 ports							
	ES0812-31_8 ports	10/100Mbps x 8_10/100/1000Mbps x 1 / 802.3at / 130W / 1-port Gigabit SFP / 100-240VAC					\$ 594
	ES0802-41_8 ports	10/100/1000Mbps x 8 / 802.3at / 130W / 100-240VAC					\$ 693
POE Switch_16 ports							
	ES1625-31_16 ports	10/100Mbps x 16 / 802.3at / 260W / 2-port Gigabit Combo / 100-240VAC					\$ 1338
	ES1645-51_16 ports	10/100/1000Mbps x 16 / 802.3at / 260W / 4-port Gigabit SFP / 100-240VAC					\$ 1881
POE Switch_24 ports							
	ES2426-31_24 ports	10/100Mbps x24 / 802.3at / 390W / 2-port Gigabit combo / 100-240VAC					\$ 1749
	ES2446-51_24 ports	10/100/1000Mbps x 24 / 802.3at / 390W / 4-port Gigabit SFP / 100-240VAC					\$ 2244

	ES2448-62_24 Ports	10/100/1000Mbps x 24 / 802.3at / 500W / Full Layer 2 / 4-port 10Giga SFP / 100-240VAC				\$ 5445,00
Optional Accessories - L type bracket EHN / EDN series						
	BA-EHD+L type bracket	for EDN/EHN_3160_3260_3340 Series				\$ 60
Optional Accessories - EPN3100i/3100/3600i/3600 Series IP Speed Dome						
	EKB200GR	USB Controller Keyboard	for IP PTZ Camera Series		Industrial USB Controller Keyboard USB Interface, Plug & Play, 3-axis joystick for PTZ control function Support standard HID class device, easy for 3rd party integration No	\$ 760
	EPTZ-SSMW	Outdoor Sunshield	for Outdoor PTZ Camera Series		Outdoor Sunshield	\$ 45
	EPTZ-CNM	Corner Mount Adapter	for Outdoor PTZ Camera Series		Corner Mount Adapter Compatible with EPTZ-WMB and EPTZ Outdoor Series Stainless Steel	\$ 90
	EPTZ-PLM	Pole Mount Adapter	for Outdoor PTZ Camera Series		Pole Mount Adapter, Compatible with EPTZ Outdoor Series	\$ 90
	EPTZ-CMBGR	Indoor Concrete Ceiling Mount Adapter	for Indoor PTZ Camera Series		Concrete Ceiling Mount Adapter for Indoor EPTZ Rugged Aluminium diecasting	\$ 30
	EPTZ-ICM	Indoor In-Ceiling Mount Bracket	for Indoor PTZ Camera Series		In-Ceiling Recessed Mount Bracket Aluminium diecasting Plastic decorative flange	\$ 105
	EPTZ-CPMA	Indoor Ceiling Pendent Pole Mount Bracket	for Indoor PTZ Camera Series		Indoor Ceiling Pendent Pole Mount Bracket	\$ 72
	EPTZ-BKAW	Wall Mount Bracket Adapter	for Indoor PTZ Camera Series		Wall Mount Bracket Adapter	\$ 30
	EPTX-PBOX	External Power Connection Box	220VAC input 24VAC Output		External Power Connection Box Weatherproof and vandal resistant Power Supply function 220VAC input 24VAC Output	\$ 300
	AP24A302E1	Power Adaptor	220VAC-24VAC, 3A		Power Adaptor 220VAC-24VAC, 3A (AP24A351A2, 110VAC-24VAC) For IP Speed Dome & Speed Dome Series	\$ 36
2MP AHD KAMERA						
2MP AHD KAMERA						
	ECD900F (Black/White)	1080P	0.08	Fix Lens with ICR 3.6mm/6mm	12VDC	AHD Indoor Dome, 3.6mm/6mm \$ 400
	ED910F (Black/White)	1080P	0.08	Vari-Focal Lens DC Iris with ICR 2.8-12mm	12VDC/24 VAC	AHD Indoor Dome, 2.8-12mm \$ 450
	ED930F (Black/White)	1080P	0 with IR on	Vari-Focal Lens DC Iris with ICR 2.8-12mm	12VDC/24 VAC	AHD Indoor Dome with IR 30m, 2.8-12mm \$ 435
	EHD935F	1080P	0 with IR on	Vari-Focal Lens DC Iris with ICR 2.8-12mm	12VDC/24 VAC	AHD ourdor Dome with IR 30m & IP67, 2.8-12mm \$ 420
	EHD930F	1080P	0 with IR on	Vari-Focal Lens DC Iris with ICR 2.8-12mm	12VDC/24 VAC	AHD ourdor Dome with IR 30m & IP66, 2.8-12mm \$ 427
	EBD930F (Dark gray/White)	1080P	0 with IR on	Fix Lens with ICR 3.6mm/6mm	12VDC	AHD Indoor/Outdoor Ball Type with IR 15m & IP66 3.6mm/6mm \$ 370
	EBD935F	1080P	0 with IR on	Vari-Focal Lens DC Iris with ICR 2.8-12mm	12VDC	AHD Indoor/Outdoor Ball Type with IR 30m & IP66, 2.8-12mm \$ 425
	ECZ930F	1080P	0 with IR on	Fix Lens with ICR 3.6mm/6mm	12VDC	AHD Indoor/Outdoor Bullet Type with IR 15m & IP66, 3.6mm/6mm \$ 370
	EQ900F (Black/White)	1080P	0.08	C/CS Mount <i>*Lens Not Included</i>	12VDC/24 VAC	AHD Box type \$ 290
	EZ930F (Black/White)	1080P	0 with IR on	Vari-Focal Lens 2.8-12mm	12VDC/24 VAC	indoor/Outdoor Bullet Type with IR30m & IP66, 2.8-12mm \$ 427
20x Optical Outdoor/Indoor Speed Dome with Day/ Night Function						
	EPTZ9200 (SMK and Clear)	1080P	0.1 Lux 50 IRE (ICR OFF, IRIS OPEN, AGC MAX)	20x Optical Zoom	24VAC	AHD Outdoor PTZ with IP 66, 20x Optical Zoom \$ 2142
	EPTZ9200i (SMK and Clear)	1080P	0.1 Lux 50 IRE (ICR OFF, IRIS OPEN, AGC MAX)	20x Optical Zoom	24VAC	AHD indoor PTZ , 20x Optical Zoom, indoor \$ 2100
30x Optical Outdoor/Indoor Speed Dome with Day/ Night Function						
	EPTZ9300 (SMK and Clear)	1080P	0.1 Lux 50 IRE (ICR OFF, IRIS OPEN, AGC MAX)	30x Optical Zoom	24VAC	AHD Outdoor PTZ with IP 66, 30x Optical Zoom \$ 315,00
	EPTZ9300i (SMK and Clear)	1080P	0.1 Lux 50 IRE (ICR OFF, IRIS OPEN, AGC MAX)	30x Optical Zoom	24VAC	AHD indoor PTZ, 30x Optical Zoom, indoor \$ 312,00
AHD Hybrid DVR						
EZ Serisi AHD DVR						

	ELUX4	H.264 4CH	Recording Rate PAL 50fps @ 1080p PAL 100fps @ other	Playback Rate PAL 50fps @ 1080p PAL 100fps @ other	HDMI NO DVD	4CH FHD DVR Support 1 internal 3.5" HDD (Max 4TB)	\$ 850
	ELUX8	H.264 8CH	Recording Rate PAL 100fps @ 1080p PAL 200fps @ other	Playback Rate PAL 100fps @ 1080p PAL 200fps @ other	HDMI NO DVD	8CH FHD DVR Support 2 internal 3.5" HDD (Max 8TB)	\$ 1290
	ELUX16	H.264 16CH	Recording Rate PAL 200fps @ 1080p PAL 400fps @ other	Playback Rate PAL 200fps @ 1080p PAL 400fps @ other	HDMI NO DVD	16CH FHD DVR Support 2 internal 3.5" HDD (Max 8TB)	\$ 2030
	Looping Cable	4CH/8CH	For ELUX4 AND ELUX8			ELUX Video looping wire (1-4CH)	\$ 36
	Looping Cable	16CH	For ELUX16			ELUX Video looping wire(1-8CH&9-16CH)	\$ 72
EZ HD Kamera Bracket							
	BA-EHD+ (Cool Grey)	178mm(L) x 128.4mm(H)			BA-EHD+ L-Shaped bracket for EHD930F/935F & EHN Plus IP Cam, Cool gray 1C Weatherproof IP 66		33
	BA-EHD+ (White)	178mm(L) x 128.4mm(H)			BA-EHD+ L-Shaped bracket for EHD930F/935F & EHN Plus IP Cam, Pure White Weatherproof IP 66		33
	BA-ED05(Black)	170mm(L) x 86mm(H)			BA-ED05 L-Shaped Plastic bracket for ED910F/ED930F, Black		24
	BA-ED05(Grey White)	170mm(L) x 86mm(H)			BA-ED05 L-Shaped Plastic bracket for ED910F/ED930F, Cool gray 1C		24
	BA-ED05(Pure White)	170mm(L) x 86mm(H)			BA-ED05 L-Shaped Plastic bracket for ED910F/ED930F, Pure White		24
	PBOX-A30	139mm(D) x 33.5mm(H)			Junction Box for EHD930F/935, Cool gray 1C		33
	PBOX-A30	139mm(D) x 33.5mm(H)			Junction Box for EHD930F White		33
	PBOX-A32-1	119.2mm(D) x 38mm(H)			Junction Box for EBD930F/ECZ930F/EDN228/EZN268		36
PTZ Kamera Opsiyonel Aksesuarlar							
	EKB500	Integration Keyboard	for DVR & PTZ Camera		Keyboard Controller for PTZ camera Capable of interface RS-485 & RS-232 formats Full programmable preset tour		\$ 540
	EPTZ-WMBGR	Wall Mount Bracket	for Outdoor PTZ Camera Series		Wall Mount Bracket Set (Compatible with EPTZ Outdoor Series) Water-proofing & Rugged Aluminium diecasting *Compatible with EPTZ3150/3650		\$ 105
	EPTZ-SSMGR	Outdoor Sunshield	for Outdoor PTZ Camera Series		Outdoor Sunshield		\$ 45
	EPTZ-CNMNGR	Corner Mount Adapter	for Outdoor PTZ Camera Series		Corner Mount Adapter Compatible with EPTZ-WMB and EPTZ Outdoor Series Stainless Steel		\$ 90
	EPTZ-PLMNGR	Pole Mount Adapter	for Outdoor PTZ Camera Series		Pole Mount Adapter, Compatible with EPTZ Outdoor Series		\$ 90
	EPTZ-CMBGR	Indoor Concrete Ceiling Mount Adapter	for Indoor PTZ Camera Series		Concrete Ceiling Mount Adapter for Indoor EPTZ Rugged Aluminium diecasting		\$ 30
	EPTZ-ICMBGR	Indoor In-Ceiling Mount Bracket	for Indoor PTZ Camera Series		In-Ceiling Recessed Mount Bracket Aluminium diecasting Plastic decorative flange		\$ 105
	EPTZ-CLM	Indoor Ceiling Pendant Pole Mount Bracket	for Indoor PTZ Camera Series		Indoor Ceiling Pendant Pole Mount Bracket (For EPTZ3150i/3650i Series only)		\$ 72
	EPTZ-BKAW	Wall Mount Bracket Adapter	for Indoor PTZ Camera Series		Wall Mount Bracket Adapter		\$ 30
	EPTZ-PBOX-2GR	External Power Connection Box	220VAC input 24VAC Output		External Power Connection Box, 220VAC input 24VAC Output Weatherproof and vandal resistant Power Supply function		\$ 270
	AP24A302E1	Power Adaptor	220VAC-24VAC, 3A		Power Adaptor 220VAC-24VAC, 3A (AP24A351A2) For IP Speed Dome & Speed Dome Series		\$ 36
CCTV LCD MONİTÖR							
Accessories - LCD Monitor Serisi							
	FH17LED	17" 1280x1024 SXGA	17" CCTV LED Monitor Auto detect NTSC/PAL		HDMI	17" LED Monitor, 2x BNC Composite video input/output HDMI Input x1/ VGA In/out x1/ Audio In/out x1 VESA compatible (75mm)	\$ 645
	FH19LED	19" 1280x1024 SXGA	19" CCTV LED Monitor Auto detect NTSC/PAL		HDMI	19" LED Monitor, 2x BNC Composite video input/output HDMI Input x1/ VGA In/out x1/ Audio In/out x1 VESA compatible (75mm)	\$ 687
	FH7522	1920X1080 Full HD	22" CCTV LED Monitor Auto detect NTSC/PAL		HDMI	21.5" LED MONITOR, Full HD, 16:9, NTSC/PAL AC100-240 (50/60Hz)	\$ 900
	FH7524	1920X1080 Full HD	24" CCTV LED Monitor Auto detect NTSC/PAL		HDMI	24" LED MONITOR, Full HD, 16:9, NTSC/PAL AC100-240 (50/60Hz)	\$ 1065
	FH7532M	1920X1080 Full HD	32" CCTV LED Monitor Auto detect NTSC/PAL		HDMI	32" LED MONITOR, Full HD, 16:9, NTSC/PAL AC100-240 (50/60Hz)	\$ 1860
	FH7540M	1920X1080 Full HD	40" CCTV LED Monitor Auto detect NTSC/PAL		HDMI	40" LED MONITOR, Full HD, 16:9, NTSC/PAL AC100-240 (50/60Hz)	\$ 2370
	FH7547M	1920X1080 Full HD	47" CCTV LED Monitor Auto detect NTSC/PAL		HDMI	47" LED MONITOR, Full HD, 16:9, NTSC/PAL AC100-240 (50/60Hz)	\$ 2577

	BA-DW-172				DW-172, Wall mount bracket, Black	\$ 105
AHD Test Cihazı						
	EN320	7" AHD/TVI tester, With Li-Ion / External Battery Pack 5200mAh				\$ 750
		External Battery Pack 5200mAh				\$ 60
Çevre Birimleri						
Accessories - Housing & Bracket						
	FH-7153	Outdoor Camera Housing	***	***	Outdoor camera housing with top cover and lock. Aluminum. 352x113x106mm / 13.9"x4.5" x4.2"(LxWxH)	\$ 45
	FH-7153H	Outdoor Camera Housing	W/ Heater	24VAC	Outdoor camera housing with top cover, lock and heater. 24VAC, 17W power consumption. Aluminum. 352x113x106mm / 13.9" x4.5" x4.2"(LxWxH)	\$ 60
	FH-7153A	Outdoor Camera Housing	W/ Blower	AC220-240V	Outdoor camera housing with top cover, BLOWER, AC220-240V 352x113x106mm / 13.9" x4.5" x4.2"(LxWxH)	\$ 60
	FH-7153HB-AC240V	Outdoor Camera Housing	W/ Heater & Blower	AC220-240V	Outdoor camera housing with top cover, lock, heater and blower, AC220V- 240V 373x140x115mm / 14.7" x5.5" x4.5"(LxWxH)	\$ 81
	FH-7153HB-AC24V	Outdoor Camera Housing	W/ Heater & Blower	24VAC	Outdoor camera housing with top cover, lock, heater and blower. 24 VAC, 18.7 W power consumption. Aluminum. 373x140x115mm / 14.7" x5.5" x4.5"(LxWxH)	\$ 81
	BA-05	Mounting bracket	For Box Camera	Aluminum	Mounting bracket for Outdoor Camera Housing, Aluminum, 285mm, Load:10kgs	\$ 18
	BA-01	Mounting bracket	For Box Camera	Aluminum	Mounting Bracket. Aluminum. Max. Load: 3 kg/ 6.6 lbs 57 X 165 mm/ 2.2" X 6.5" (WXH)	\$ 9
	BA-03	Mounting bracket	For Box Camera	Plastic	Mounting Bracket. Plastic. Max Load: 3.5kgs/ 7.7 lbs 80 X 160 mm/ 3.1" X 6.3" (WXH)	\$ 9
Accessories - Cables & Adaptors						
	AD-01 AP12D122E0	1.25A	Camera Adaptor 240VAC~12VDC, 1.25A	AC100-240V	Adaptor, Power supply for Camera 240VAC - 12VDC, 1.25A	\$ 18